

woodX

LAMINATES

Exterior Wall Cladding



WPC 26mm LOUVERS







WPC EXTERIOR LOUVERS

Our material is waterproof and not affected by weathering. It does not warp and keeps its aesthetics for a very long time. Investing in a woodx wpc product ensures long-term satisfaction with a very durable product.

www.woodxlaminates.com

LOUVERS FEATURES



WATER PROOF



DURABLE



TERMITE PROOF



ECONOMICAL



ANTI CORROSIVE



UV RESISTANT



SUPERB QUALITY



NO POLISHING



MAINTENANCE FREE



CHEMICAL AND
MOISTURE RESISTANT



EASY TO INSTALL



LIGHT WEIGHT





woodX
LAMINATES
Exterior Wall Cladding

LOUVERS APPLICATIONS

- EXTERIOR CLADDING •
- INTERIOR CLADDING •
- BALCONY CLADDING •
- ROOF CLADDING •
- FENCE & RAILING •
- GATE PANELING •

WPC LOUVERS

SPECIFICATIONS

PRODUCT NAME :

ROYAL TEAK



TECHNICAL SPECIFICATION

Width	219mm
Length	2900mm
Thickness	26mm
Packing Per Box	04 panel
Area Per Panel	6.84 sqft.
Area Per Box	27.36 sqft.

woodX
LAMINATES
Exterior Wall Cladding

woodX
LAMINATES
Exterior Wall Cladding





PRODUCT NAME :
WALLNUT

2



TECHNICAL SPECIFICATION

Width	219mm
Length	2900mm
Thickness	26mm
Packing Per Box	04 panel
Area Per Panel	6.84 sqft.
Area Per Box	27.36 sqft.





wood
LAMINATES
Exterior Wall Cladding

3

PRODUCT NAME :
TEAK



TECHNICAL SPECIFICATION

Width	219mm
Length	2900mm
Thickness	26mm
Packing Per Box	04 panel
Area Per Panel	6.84 sqft.
Area Per Box	27.36 sqft.



PRODUCT NAME :
DRAK BROWN


4



TECHNICAL SPECIFICATION

Width	219mm
Length	2900mm
Thickness	26mm
Packing Per Box	04 panel
Area Per Panel	6.84 sqft.
Area Per Box	27.36 sqft.






wood
LAMINATES
Exterior Wall Cladding

5

PRODUCT NAME :
GREY



TECHNICAL SPECIFICATION

Width	219mm
Length	2900mm
Thickness	26mm
Packing Per Box	04 panel
Area Per Panel	6.84 sqft.
Area Per Box	27.36 sqft.

woodX
LAMINATES
Exterior Wall Cladding



Channel Partner :